

# Ask your doctor about VASCEPA®.

**Vascepa**  
(icosapent ethyl)

You're working hard to lower your very high triglycerides. Yet they may still be too high. Here are some questions you may want to discuss with your doctor to see if VASCEPA is right for you.

- 1. What are very high triglyceride levels?
- 2. Why is it important to treat very high triglyceride levels and what are mine?
- 3. How is treating very high triglycerides different than treating high cholesterol?
- 4. What is VASCEPA and can it help me?
- 5. Why is it important that VASCEPA is FDA-approved and only available by prescription?
- 6. How often would I need to take VASCEPA?
- 7. What are the potential side effects of VASCEPA?
- 8. Is there more I should know about VASCEPA and the science behind it?

Other notes: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## It's clear. There's only one VASCEPA.

The first and only prescription EPA treatment approved by the FDA.

VASCEPA, along with diet, is clinically proven to lower very high triglycerides in adults by

↓ 33%

without raising bad cholesterol (LDL-C)\*



## Why is it important to take the 4-gram daily dose of VASCEPA?

To ensure you get the full benefit of VASCEPA, it's important to take the FDA-approved 4-gram dose each day as your doctor prescribes. In clinical testing, patients taking the 4-gram daily dose of VASCEPA, along with a healthy diet, lowered very high triglycerides by 33% without raising bad cholesterol.\* Taking less than this recommended daily dose did not achieve these results.<sup>1</sup>



For the standard size, take two 1-gram capsules twice a day with food.



If you prefer the smaller size, take four of the 0.5-gram capsules twice a day with food.

\*In MARINE trial, on average, along with diet changes, adults with very high triglycerides experienced a 33% reduction without raising LDL-C vs. placebo. Individual results may vary.

<sup>1</sup>Bays HE, Ballantyne CM, Kastelein JJ, Isaacsohn JL, Braeckman RA, Soni PN. Eicosapentaenoic acid ethyl ester (AMR101) therapy in patients with very high triglyceride levels (from the Multi-center, placebo-controlled, Randomized, double-blind, 12-week study with an open-label Extension [MARINE] trial). Am J Cardiol. 2011;108:682-90.

# Save Now.

This VASCEPA Savings Card is active and ready to use. Registration or activation is not required. Present it to your pharmacist with your VASCEPA prescription to start saving now.

VASCEPA is covered without restriction for the majority of patients.

**Commercially insured patients pay as little as \$9 for 90 days.†**

Subject to eligibility. Restrictions apply.

**Pay as little as \$9 for 90 days.\***



**Expiration Date: 12/31/2019**  
**No Activation Required.**

\*Limitations apply. See reverse side for details.  
Reimbursement limited to \$110 per month or \$330 on a 90 day fill.

Powered by:  
CHANGE HEALTHCARE  
BIN# 004682  
PCN# CN  
GRP# ECVASCEPA  
ID# 59021139303

**Vascepa®**  
*(icosapent ethyl)*

Pharmacist and Beneficiary: When you use this card, you are certifying that you have not submitted and will not submit a claim for reimbursement under any Federal, State, or other Governmental programs for this prescription.

†May not be used to obtain prescription drugs paid for in part by Federal or State Healthcare Programs including Medicare, Medicaid, Medicare Advantage, Medicare Part D, Tricare, and VA. Not for use by VT residents, VT licensed medical professionals, patients under 18, where prohibited by law or patient's insurance plan, or where taxed or restricted. Maximum savings of \$110 per month or \$330 per 90 day supply. Eligible patients include those who participate in commercial insurance, through a healthcare exchange, or pay cash. Offer good through December 31, 2019.

## INDICATION

### WHAT IS VASCEPA?

VASCEPA is a prescription medicine used along with a low-fat and low-cholesterol diet to lower high levels of triglycerides (fats) in adults.

- It is not known if VASCEPA changes your risk of having inflammation of your pancreas (pancreatitis).
- It is not known if VASCEPA prevents you from having a heart attack or stroke.
- It is not known if VASCEPA is safe and effective in children.

## IMPORTANT SAFETY INFORMATION

### WHO SHOULD NOT TAKE VASCEPA?

- Do not take VASCEPA if you are allergic to icosapent ethyl or any of the ingredients in VASCEPA.

### WHAT ARE THE POSSIBLE SIDE EFFECTS OF VASCEPA?

- It is not known if people who are allergic to fish or shellfish are also allergic to VASCEPA.
- If you have liver problems and are taking VASCEPA, your doctor should do blood tests during treatment.
- The most common side effect of VASCEPA is joint pain. Talk to your doctor for medical advice about side effects.

### As with all drugs, you may experience a serious side effect when taking VASCEPA.

You may report side effects by calling 1-855-VASCEPA or the FDA at 1-800-FDA-1088.

Tell your doctor if you take medicines that affect your blood clotting (anticoagulants or blood thinners).

Take VASCEPA capsules whole. Do not break, crush, dissolve, or chew VASCEPA capsules before swallowing.

For more information on VASCEPA, please see the full Patient Information on Vascepa.com or call **1-855-VASCEPA (1-855-827-2372)**.



Intellectual property owned by the Amarin group of companies.

© 2019 Amarin Pharma, Inc. Bedminster, NJ, USA. All rights reserved.  
VAS-00540v5 03/19

